




&



March 5-8, 2024
Rosemont, IL









2022 Food Code

U.S. Food and Drug Administration



Food Code Compliance



CDN measurement tools help you satisfy FDA 2022 Food Code requirements. These models feature a 1.5mm thin tip, high accuracy standards, fast response times and field calibration.

DTF572
Rotating Display Thermocouple Thermometer
2.3 seconds

ACCURACY IS THE KEY TO SUCCESS
±1.0 °F

DTTW572
Waterproof Thin Tip Thermometer
4 seconds

ACCURACY IS THE KEY TO SUCCESS
±0.3 °F

TCTW572
Waterproof Folding Thermocouple Thermometer
2-3 seconds

ACCURACY IS THE KEY TO SUCCESS
±0.7 °F

DTW450
Dishwasher Thin Tip Thermometer
6 seconds

ACCURACY IS THE KEY TO SUCCESS
±1.8 °F

INTP662
Infrared Gun/Thermocouple Thermometer
1 or 3 seconds

ACCURACY IS THE KEY TO SUCCESS
±1.8 °F

INTP626X
Infrared/Thermocouple Probe Thermometer
1 or 3 seconds

ACCURACY IS THE KEY TO SUCCESS
±2.0 °F

DTT450
Thin Tip Pocket Thermometer
4 seconds

ACCURACY IS THE KEY TO SUCCESS
±0.5 °F

Be prepared — inspectors look for compliance to these codes in your kitchen.

36. Thermometers provided and accurate
Thermometers provide a means for assessing active managerial control of TCS food temperatures. Determine compliance by observing the in-use storage location and verifying the scaling of the temperature measuring devices in the range of use to measure food, water, or ambient air temperatures. Food thermometers must be calibrated at a frequency to ensure accuracy. Food thermometers should be accessible for use by employees and have a probe size appropriate to the food item.

- Applicable Code Sections:**
- 4-203.11 Temperature Measuring Devices, Food-Accuracy ^(P1)
 - 4-203.12 Temperature Measuring Devices, Ambient Air and Water-Accuracy ^(P1)
 - 4-204-112 Temperature Measuring Devices-Functionality ^(P1, C)
 - 4-302.12 Food Temperature Measuring Devices ^(P1)
 - 4-502.11(B) Good Repair and Calibration ^(P1)

<https://www.fda.gov/media/110822/download>



A GLOBAL CATEGORY LEADER

CDN is a global category leader in measurement tools, known for quality and innovation.

www.CDNmeasurement.com

© 2024 CDN All rights reserved.



It's All About Accuracy



CDN measurement tools meet or beat industry standards for accuracy.

TCTW572
Waterproof Folding Thermocouple Thermometer
2-3 seconds

ACCURACY IS THE KEY TO SUCCESS
±1.0 °F

DTTW572
Waterproof Thin Tip Thermometer
4 seconds

ACCURACY IS THE KEY TO SUCCESS
±0.3 °F

DTL572
Lollipop Thermometer
4 seconds

ACCURACY IS THE KEY TO SUCCESS
±1.3 °F

DTT450
Thin Tip Pocket Thermometer
4 seconds

ACCURACY IS THE KEY TO SUCCESS
±0.5 °F

INTP662
Infrared Gun/Thermocouple Thermometer
1 or 3 seconds

ACCURACY IS THE KEY TO SUCCESS
±1.8 °F

INTP626X
Infrared/Thermocouple Probe Thermometer
1 or 3 seconds

ACCURACY IS THE KEY TO SUCCESS
±2.0 °F

DTF572
Rotating Display Thermocouple Thermometer
2.3 seconds

ACCURACY IS THE KEY TO SUCCESS
±0.7 °F

DTW450
Dishwasher Thin Tip Thermometer
6 seconds

ACCURACY IS THE KEY TO SUCCESS
±1.8 °F

A GLOBAL CATEGORY LEADER

CDN is a global category leader in measurement tools, known for quality and innovation.

www.CDNmeasurement.com

© 2023 CDN All rights reserved.





Measurement Tools

2024

The Right Tools for Every Application.

COOKING



IRT220 ** –
COOKING THERMOMETER



DT392 ** –
DIGITAL THERMOMETER



DT572 ** – DIGITAL
FOLDING THERMOMETER
■ Black DT572-BK
■ Red DT572-R
■ Green DT572-G
■ Blue DT572-B



DTT450 *** –
THIN TIP POCKET
THERMOMETER
■ Yellow DTT450
■ Red DTT450-R
■ Green DTT450-G
■ Blue DTT450-B



Q2-450X *** –
HEAVY DUTY THIN TIP
THERMOMETER



DTTW572 *** –
WATERPROOF THIN TIP
THERMOMETER



DTL572 *** –
LOLLIPOP THERMOMETER
■ Yellow DTL572-Y
■ Red DTL572-R
■ Green DTL572-G
■ Blue DTL572-B



TM15 * –
EXTRA-BIG DIGIT TIMER



SD0502 *** –
DIGITAL PORTION
CONTROL SCALE, 5 LB,
SMALL PROFILE



SD1114 *** –
DIGITAL PORTION
CONTROL SCALE, 11 LB,
SMALL PROFILE



DTL572 *** –
LOLLIPOP THERMOMETER
■ Yellow DTL572-Y
■ Red DTL572-R
■ Green DTL572-G
■ Blue DTL572-B



IRT220 ** –
COOKING THERMOMETER



IRM190 ** –
OVENPROOF MEAT
THERMOMETER



IRM200-GLOW ** –
OVENPROOF MEAT
THERMOMETER – GLOW



DTTC –
COMBO PROBE
THERMOMETER,
TIMER & CLOCK




SD2202 *** –
DIGITAL PORTION
CONTROL SCALE, 22 LB,
LARGE PROFILE



SD5502 *** –
DIGITAL PORTION
CONTROL SCALE, 55 LB,
LARGE PROFILE



SD1120 *** –
SUBMERSIBLE SCALE,
11 LB



SD1120 *** –
SUBMERSIBLE SCALE,
11 LB

THIN CUTS OF MEAT



DT572 ** – DIGITAL
FOLDING THERMOMETER
■ Black DT572-BK
■ Red DT572-R
■ Green DT572-G
■ Blue DT572-B



DTT450 *** –
THIN TIP POCKET
THERMOMETER
■ Yellow DTT450
■ Red DTT450-R
■ Green DTT450-G
■ Blue DTT450-B



DTQ450X *** –
THIN TIP THERMOMETER



DTTW572 *** –
WATERPROOF THIN TIP
THERMOMETER



DTL572 *** –
LOLLIPOP THERMOMETER
■ Yellow DTL572-Y
■ Red DTL572-R
■ Green DTL572-G
■ Blue DTL572-B



TCTW572 *** –
WATERPROOF FOLDING
THERMOCOUPLE
THERMOMETER



INTP662 *** –
INFRARED GUN/
THERMOCOUPLE
THERMOMETER



SD1114 *** –
DIGITAL PORTION
CONTROL SCALE, 11 LB,
SMALL PROFILE



SD1120 *** –
SUBMERSIBLE SCALE,
11 LB



All products have a five-year limited warranty unless otherwise noted. **5-Year Limited Warranty:** Any instrument that proves to be defective in material or workmanship (excluding batteries) within five years of original purchase will be repaired or replaced without charge upon receipt of the unit prepaid at: CDN, PO Box 10947, Portland, OR 97296-0947. This warranty does not cover damage in shipment or failure caused by failure to adhere to the accompanying instructions, inadequate maintenance, normal wear and tear, tampering, accident, misuse, unauthorized modification, obvious carelessness or abuse. CDN shall not be liable for any consequential or incidental damages whatsoever.



Tel 800 338-5594 Fax 800 879-2364 Web CDNmeasurement.com

* NEW * NSF * BioCote * EXCLUSIVE TO CDN * 1-Year Limited Warranty



CANDY & DEEP FRY

 **TCG400** –
CANDY & DEEP FRY
RULER THERMOMETER

 **IRXL400** ** –
CANDY & DEEP FRY
THERMOMETER

 **IRL500** –
LONG STEM FRY
THERMOMETER – 12"

 **DTC450** * –
DIGITAL CANDY
THERMOMETER

 **DTW450L** *** –
WATERPROOF
THERMOMETER –
LONG STEM

 **TM8** * –
MULTI-TASK TIMER
& CLOCK

 **DTTC** –
COMBO PROBE
THERMOMETER,
TIMER & CLOCK

 **SD0202** **** –
DIGITAL HIGH PRECISION
SCALE, 2 LB

Gray SD0202-GY
Red SD0202-R
Green SD0202-G
Blue SD0202-B

 **SD0204** **** –
DIGITAL HIGH PRECISION
SCALE, 2 LB, SMALL
PROFILE

 **SD0502** **** –
DIGITAL PORTION
CONTROL SCALE, 5 LB,
SMALL PROFILE

 **SD1112** **** –
DIGITAL PORTION
CONTROL SCALE, 11 LB,
MEDIUM PROFILE

 **SD2202** **** –
DIGITAL PORTION
CONTROL SCALE, 22 LB,
LARGE PROFILE

OVEN

 **DOT2** * –
OVEN THERMOMETER

 **POT750X** * –
HIGH HEAT OVEN
THERMOMETER

 **TM15** * –
EXTRA-BIG DIGIT TIMER

 **IN1022** * –
INFRARED GUN

 **INTP662** *** –
INFRARED GUN/
THERMOCOUPLE
THERMOMETER

 **DSP1** –
DUAL-SENSING PROBE
THERMOMETER/TIMER

GRILL/GRIDDLE

 **GTS800X** * –
GRILL SURFACE
THERMOMETER

 **IN1022** * –
INFRARED GUN

 **INTP662** *** –
INFRARED GUN/
THERMOCOUPLE
THERMOMETER

 **TM30** * –
DIRECT ENTRY 2-ALARM
TIMER

 **SD2202** **** –
DIGITAL PORTION
CONTROL SCALE, 22 LB,
LARGE PROFILE

 **SD1110X** *** –
SUBMERSIBLE SCALE,
11 LB

HOT HOLDING

 **HOT1** * –
HOT HOLDING
THERMOMETER

COLD STORAGE

 **EFG120** * –
REFRIGERATOR/FREEZER
THERMOMETER

 **FG80** * –
REFRIGERATOR/FREEZER
THERMOMETER

 **RFT1** * –
REFRIGERATOR/FREEZER
THERMOMETER

DRY STORAGE

 **RFT1** * –
REFRIGERATOR/FREEZER
THERMOMETER

 **AT120** –
AIR THERMOMETERS -
DOZEN

 **SD5502** **** –
DIGITAL PORTION
CONTROL SCALE, 55 LB,
LARGE PROFILE

RECEIVING

 **IN1022** * –
INFRARED GUN

 **INTP662** *** –
INFRARED GUN/
THERMOCOUPLE
THERMOMETER

 **DTW450L** *** –
WATERPROOF
THERMOMETER –
LONG STEM

 **SDR220** * –
DIGITAL SHIPPING
& RECEIVING SCALE,
220 LB

* NEW * NSF * BioCote * EXCLUSIVE TO CDN * 1-Year Limited Warranty

SALAD BAR

DT572 ** – DIGITAL FOLDING THERMOMETER
■ Black DT572-BK
■ Red DT572-R
■ Green DT572-G
■ Blue DT572-B

DTT450 * – THIN TIP POCKET THERMOMETER**
■ Yellow DTT450
■ Red DTT450-R
■ Green DTT450-G
■ Blue DTT450-B

DTTW572 * – WATERPROOF THIN TIP THERMOMETER**

DTL572 * – LOLLIPOP THERMOMETER**
■ Yellow DTL572-Y
■ Red DTL572-R
■ Green DTL572-G
■ Blue DTL572-B

TCTW572 * – WATERPROOF FOLDING THERMOCOUPLE THERMOMETER**

INTP626X * – INFRARED/ THERMOCOUPLE PROBE THERMOMETER**

INTP662 * – INFRARED GUN/ THERMOCOUPLE THERMOMETER**

TM8 * – MULTI-TASK TIMER & CLOCK

SD1114 ** – DIGITAL PORTION CONTROL SCALE, 11 LB, SMALL PROFILE**

SD1112 ** – DIGITAL PORTION CONTROL SCALE, 11 LB, MEDIUM PROFILE**

SD3302 ** – DIGITAL PORTION CONTROL SCALE, 33 LB, LARGE PROFILE**

BEVERAGE

IRT220-F * – BEVERAGE & FROTHING THERMOMETER**

IRB220-F * – BEVERAGE & FROTHING THERMOMETER – 5" STEM**

IRTL220 * – BEVERAGE & FROTHING THERMOMETER – 7" STEM**

TM8 * – MULTI-TASK TIMER & CLOCK

TM15 * – EXTRA-BIG DIGIT TIMER

TMW1 * – WATERPROOF TIMER

SD0202 ** – DIGITAL HIGH PRECISION SCALE, 2 LB**
■ Gray SD0202-GY
■ Red SD0202-R
■ Green SD0202-G
■ Blue SD0202-B

SD0204 ** – DIGITAL HIGH PRECISION SCALE, 2 LB, SMALL PROFILE**

SD0502 ** – DIGITAL PORTION CONTROL SCALE, 5 LB, SMALL PROFILE**

SD2202 ** – DIGITAL PORTION CONTROL SCALE, 22 LB, LARGE PROFILE**

MEAL DELIVERY CARTS

DT572 ** – DIGITAL FOLDING THERMOMETER
■ Black DT572-BK
■ Red DT572-R
■ Green DT572-G
■ Blue DT572-B

DTTW572 * – WATERPROOF THIN TIP THERMOMETER**

DTL572 * – LOLLIPOP THERMOMETER**
■ Yellow DTL572-Y
■ Red DTL572-R
■ Green DTL572-G
■ Blue DTL572-B

TCTW572 * – WATERPROOF FOLDING THERMOCOUPLE THERMOMETER**

IN1022 * – INFRARED GUN

INTP662 * – INFRARED GUN/ THERMOCOUPLE THERMOMETER**

SD1502 * – NSF® DIGITAL GLASS SCALE, 15 LB**
■ Silver SD1502-S
■ Black SD1502-BK

SD0502 ** – DIGITAL PORTION CONTROL SCALE, 5 LB, SMALL PROFILE**

SD1114 ** – DIGITAL PORTION CONTROL SCALE, 11 LB, SMALL PROFILE**

DISHWASHER

DTW450 * – DISHWASHER THIN TIP THERMOMETER**

DW2 * – DISHWASHER THERMOMETER**

* NEW * NSF * BioCote * EXCLUSIVE TO CDN * 1-Year Limited Warranty



THERMOMETERS

CDN is your thermometer resource, with a solution for any temperature measuring task.

CDN takes extra steps to ensure quality, durability and accuracy. We use 304-grade stainless steel, superior to the stainless steel used in many competitive thermometers. Special features include 1.5 mm thin tip technology, one-button field calibration, rapid response, temperature memory, rotating displays, BioCote® and more.

We offer a broad range of NSF® Certified models.



DIGITAL THERMOMETER

Because every customer's situation is different, we offer multiple digital thermometers, each with something unique that is ideal for different foodservice environments.

The collection includes seven exclusive models that feature a thin tip stem, field calibration, NSF® certification and BioCote® antimicrobial technology.

DT392 - Digital Thermometer

- 50 to +392°F/-45 to +200°C
- One-button operation
- Temperature guide
- 3 mm tip; 5" stem

0 18436 00609 1

DT572 - Digital Folding Thermometer

- 58 to +572°F/-50 to +300°C
- 4-second response
- Waterproof (IPX6)
- 1.7 mm thin tip; 3.375" stem

DT572-BK
DT572-R
DT572-G
DT572-B

0 18436 00509 4
0 18436 00515 5
0 18436 00516 2
0 18436 00517 9

DT450X - Digital Pocket Thermometer

- 40 to +450°F/-40 to +230°C
- 6-second response
- Hold
- 2.5 mm reduced tip; 2.75" stem

DT450X
DT450X-R
DT450X-G
DT450X-B

0 18436 00457 1
0 18436 00477 1
0 18436 00477 2
0 18436 00477 3

DTT450 - Thin Tip Pocket Thermometer

- 40 to +450°F/-40 to +230°C
- 4-second response
- One-button field calibration
- Hold
- 1.5 mm thin tip; 2.75" stem

DTT450
DTT450-R
DTT450-G
DTT450-B

DTQ450X - Digital Pocket Thermometer

- 40 to +450°F/-40 to +230°C
- 6-second response
- Waterproof
- One-button operation
- 1.5 mm thin tip; 2.75" stem

Tip on Induction Cooktops:
The magnetic field of an induction cooktop can interfere with the operation of a thermometer. One option is to turn off the cooktop. Another option is to use a thermometer that is not affected by the magnetic field.

800-338-5594 |



CONTENTS

Thermometers


Digital.....	
Cooking	
Thermocouple.....	
Infrared	
Digital Probe	
Candy & Deep Fry	
Beverage & Frothing	
Sanitizing & Wipes	
Oven & Grill.....	
Refrigerator/Freezer/Air	
Dishwasher	

Timers


COOKING/BIMETAL THERMOMETERS – PROS & CONS



COOKING/BIMETAL THERMOMETERS



Premium grade
stainless steel
housing



High-quality, stainless steel
bimetal coil is welded to the inside
of the stem, ensuring an accurate
reading and an extra long life


Recalibration nut —
ensures
continuous accuracy

Unique dimple on the stem
anchors the bimetal coil
in place to ensure greater accuracy


DIGITAL/THERMISTOR THERMOMETERS – PROS & CONS



DIGITAL/THERMISTOR THERMOMETERS




Thermistor chip
attached to
copper wires
encased in glass



THERMOCOUPLE THERMOMETERS – PROS & CONS



THERMOCOUPLE THERMOMETERS




INFRARED THERMOMETERS – PROS & CONS



INFRARED THERMOMETERS

Distance to Spot Ratio

Distance:Spot=3:1



DIGITAL PROBE THERMOMETERS – PROS & CONS



CANDY/DEEP FRY THERMOMETERS – PROS & CONS



BEVERAGE & FROTHING THERMOMETERS – PROS & CONS



ALCOHOL WIPES



OVEN & GRILL THERMOMETERS



REFRIGERATOR/FREEZER/AIR THERMOMETERS




DISHWASHER THERMOMETERS



DISHWASHER THERMOMETERS

Waterproof Rating - IP Code

Published by the IEC, The *International Protection Marking* code (or *IP Code*) is a standard for rating enclosures based on their ability to protect their electronic components from intrusion by accidental contact, dust or water. The IP Code consists of the letters **IP** followed by two digits.



First Digit: Solids		Second Digit: Liquids	
LEVEL	EFFECTIVE AGAINST	LEVEL	EFFECTIVE AGAINST
X	No data available	X	No data available
0	No protection	0	No protection
1	> 50 mm	1	Dripping water
2	> 12.5 mm	2	Dripping water up to 15°
3	> 2.5 mm	3	Spraying water up to 60°
4	> 1 mm	4	Splashing water any direction
5	Dust protected	5	Water jets
6	Dust tight	6	Powerful water jets
		6K	Powerful water jets – pressure
		7	Immersion, 15 cm ~ 1 m (30 min)
		8	Immersion, 1 m ~ 3 m
		9K	High pressure & temp. water jets

TIMERS

There's a reason CDN produces so many different timers: time affects so many elements in foodservice kitchens — and time is money. From basic countdown timers to advanced multi-tasking timers that track four events at once, CDN offers a wide variety of models to meet the demands of your foodservice operation. CDN timers are used worldwide in some of the biggest global coffee and restaurant chains, because they offer quality construction, ease of use, precision and value.



DIGITAL HOUR
Designed for keeping track of time.

TM2 — Digital Timer
20 hours by hr/min
• Counts down
• Stop & restart
• 3-way mounting: pocket clip, magnet, stand
0 18436 00350 2

DIGITAL HOUR/MINUTE/SECOND TIMERS



TM8 — Multi-Task Timer & Clock
24 hours by hr/min/sec
• Counts up & down
• Dual function
• Memory

TM30 — Direct Entry
10 hours by hr/min/sec
• Counts up & down
• Audio/vibrate
• Loud & long
• Last count

DIGITAL MINUTE/SECOND TIMERS

When you measure your work in minutes and seconds, there's something different, such as an extra-loud alarm, extra by



TM28 — Mini Timer
100 minutes by min/sec
• Counts up & down
• Extra-big digit
• Last count recall

White
Silver
Black
Blue

TM28-W
TM28-S
TM28-BK
TM28-B

TM7-W — Loud Alarm
100 minutes by min/sec
• Counts down
• Big digit
• Last count



800-338-5594 | orders@CDN.com

Oven & Cooktop	
Refrigerator/Freezer/Air	
Dishwasher	13

Timers

Digital Hour/Minute	15
Digital Hour/Minute/Second...	15
Digital Minute/Second	15
Mechanical	16

Scales

Master	18
able	18
.....	19

HOUR/MINUTE TIMERS



HOUR/MINUTE/SECOND TIMERS



MINUTE/SECOND TIMERS



MECHANICAL TIMERS



SCALES

Scales are foodservice essentials for portion control, recipe standardization, and best cooking and baking results through precise measurement of ingredients. As an expert in measurement tools, CDN offers a variety of scales, from basics to specialized models designed for portion control, minute measurement, receiving and more. They come with the quality, precision, value and strong customer service for which CDN is known.



Scales

Master

Submersible

Economy

Glass

Precision

Specialty

Receiving

Calibration Weigh

ECONOMY SCALES



MASTER SCALES



SUBMERSIBLE SCALES



RECEIVING SCALES





SALES SUPPORT

SALES SUPPORT



Measurement Tools



Foodservice

2024

CDNmeasurement.com



Measurement Tools

FOODSERVICE PRICE LIST

Effective January 1, 2024

THERMOMETERS

DIGITAL THERMOMETERS



DT392 – Digital Thermometer
-50 to +392°F/-45 to +200°C
• One-button operation
• Temperature guide
• 3 mm tip; 5" stem
0 18436 00609 1

Case Pack	Inner Pack	List Price
144	6	15.35



DT572 – Digital Folding Thermometer
-58 to +572°F/-50 to +300°C
• 4-second response
• Waterproof (IPX6)
• 1.7 mm thin tip; 3.375" stem

Black	DT572-BK	0 18436 00509 4
Red	DT572-R	0 18436 00515 5
Green	DT572-G	0 18436 00519 2
Blue	DT572-B	0 18436 00517 9

Case Pack	Inner Pack	List Price
60	6	16.00



DT450X – Digital Pocket Thermometer
-40 to +450°F/-40 to +230°C
• 6-second response
• Hold
• 2.5 mm reduced tip; 2.75" stem

Black	DT450X	0 18436 00457 8
Red	DT450X-R	0 18436 00471 4
Green	DT450X-G	0 18436 00473 8
Blue	DT450X-B	0 18436 00474 5

Case Pack	Inner Pack	List Price
144	6	19.45



DT450 – Thin Tip Pocket Thermometer
-40 to +450°F/-40 to +230°C
• 4-second response
• One-button field calibration
• Hold
• 1.5 mm thin tip; 2.75" stem

Yellow	DT450	0 18436 00461 5
Red	DT450-R	0 18436 00477 6
Green	DT450-G	0 18436 00478 3
Blue	DT450-B	0 18436 00479 9

Case Pack	Inner Pack	List Price
144	6	26.35



DT0450X – Thin Tip Thermometer
-40 to +450°F/-40 to +230°C
• 6-second response
• Waterproof (IPX6)
• One-button field calibration
• 1.5 mm thin tip; 4.75" stem
0 18436 00458 5

Case Pack	Inner Pack	List Price
144	6	27.15



Q2-450X – Heavy Duty Thin Tip Thermometer
-40 to +450°F/-40 to +230°C
• 6-second response
• Waterproof (IPX6)
• One-button field calibration
• 1.5 mm thin tip; 2.75" stem
0 18436 00459 2

Case Pack	Inner Pack	List Price
144	6	27.15



DTTW572 – Waterproof Thin Tip Thermometer
-40 to +572°F/-40 to 300°C
• 4-second response
• Waterproof (IPX7)
• One-button field calibration
• 180° rotating display
• 1.5 mm thin tip; 3.5" stem
0 18436 00507 8

Case Pack	Inner Pack	List Price
48	6	36.50



DTL572 – Lollipop Thermometer
-40 to +572°F/-40 to 300°C
• 4-second response
• 4-second response
• Waterproof (IPX7)
• One-button field calibration
• 1.5 mm thin tip; 4.2" stem

Yellow	DTL572-Y	0 18436 00511 7
Red	DTL572-R	0 18436 00512 4
Green	DTL572-G	0 18436 00513 1
Blue	DTL572-B	0 18436 00514 8

Case Pack	Inner Pack	List Price
48	6	32.80

★ Best Seller

 All products have a five year limited warranty unless otherwise noted. 5-Year Limited Warranty: Any instrument that proves to be defective in material or workmanship (excluding battery) within five years of original purchase will be repaired or replaced without charge upon receipt of the unit prepaid at: CDN, PO Box 10947, Portland, OR 97236-0947. This warranty does not cover damage in shipment or failure caused by failure to adhere to the accompanying instructions, inadequate maintenance, normal wear and tear, tampering, accident, misuse, unauthorized modification, obvious carelessness or abuse. CDN shall not be liable for any consequential or incidental damages whatsoever.

 WBENC

Tel 800 338-5594 Fax 800 879-2364 Web CDNmeasurement.com



Measurement Tools

THERMOMETER
AND SCALE
TECHNOLOGY



certified
WBENC
WOMEN'S BUSINESS ENTERPRISE

Specialty Flyers

certified
WBENC
WOMEN'S BUSINESS ENTERPRISE



WORKING WITH CDN

WORKING WITH CDN

- Certified WBENC member
- CDN manufactures in both China and Vietnam
- Breadth of the line: solid commitment to categories
- 65% of product line is tooled by CDN
- Quality & Innovation: 304 stainless steel, NSF[®], BioCote[®]

WORKING WITH CDN

- Competitive pricing
- Ship time 2 days
- Free freight on net orders over \$500
- Marketing and sales support
- Packaging: attractive, organized, informative, responsible
- We break inner packs
- 0.5% return rate

CDN[®] Measurement Tools

Win with CDN!





&



March 5-8, 2024
Rosemont, IL